

Trade Price List 2013

Warehouse. Hospitality. Retail. Kiosk. Marine. Industrial. Medical.















Quality. Safety. Versatility.





CONTENTS

ALL-IN-ONE POS SYSTEMS	PAGE	<i>₽</i>	
iSPOS \$10	3-5		
iSPOS	6-7		
iSPOS Panel PC	8		
iSPOS WP	9-10		
Dual iSPOS.	11		
Options - iSPOS series	12	Septem	
Opilotis - 131 O3 series	12	SENOR	
ROBOT POS	13		
SHOP POS.	14	The second secon	
SCAN POS.	15		111
Options - POS series.	16		
Opilotis - POs series	10		
KDS (Kitchen Display System)	17		
Options - KDS series	18	SP/OR	
Opilotis - KD3 selies	10		-
iSPAD (Tablet PC)	19	8 10	10
Options – iSPAD Series		****	A
-	_		A
		Soluti	W
TOUCH MONITORS		Kiosk	2
AMON	21		
Options – AMON series			
iSMON (Kitchen Monitor)		2 pm	
POS PC			
MINI POS PC	24		
			4
			V
PERIPHERALS			
THERMAL POS PRINTER	25		
DOT-MATRIX POS PRINTER	26		
CASH DRAWER	27-28		
BARCODE SCANNER	29-30	1	
POLE DISPLAY	31	Windows	
VESA MOUNT KIT	32-33		
	The same of the sa		7
		ma Mar	1
		SEMOR	1





MINI ISPOS ALL-IN-ONE TOUCH TERMINAL



iSPOS S10 WP











- Bezel less Screen Design
- 10.4" LED Backlight Screen
- Resolution 1024 x 768
- 450cd/m2 brightness
- Projected Capacitive Touch (PCT) Multi Touch support / Flat Resistive Touch (FRT)
- Intel Dual Core Atom processor, ULV CPU consumes less power generates less heat & help to keep our environment GREEN
- DDR3 System Memory
- Solid State Drive (SSD)
- Fanless and Ventless System generates lowheat technology
- Aluminium Die-Casted Casing exclusive nanotechnology coating
- IP66 Certification for Water and Dust proof
- Internal Power Supply
- Mounting Options: Stand Mount/ VESA Wall Mount

Elegant, Compact, Slimline design, Fanless and Ventless



Space is no longer an issue with the newest addition to the iSPOS series, the iSPOS \$10. The new iSPOS brings to you SENOR's unparalleled quality and durability standard in a compact sized all-in-one package.

Its 10.4" high brightness, high resolution LED screen with multi touch support offers user comfort and ease on a fully functional surface. Powered by Intel® D525 dual core platform and fitted with SSD storage, the iSPOS S10 exhibits superior performance and reliability to manage high volume tasks effectively. A wide array of integrated options for seamless and wireless communication ensures the system is well connected.

The iSPOS \$10 can ideally be implemented for a diverse range of applications in the retail, hospitality, banking and industrial industries.

Optional devices: Wireless LAN/ 3G HSUPA / Bluetooth

Dimension: 280 (W) x 165 (D) x 230 (H) mm (Desktop)

280 (W) x 50 (D) x 345 (H) mm (Wall Mount) 280 (W) x 165 (D) x 250(H) mm (\$10 WP)

Weight: 3kg



iSPOS S10

COM Port	USB Ports	Built-in Speakers	Gigabit LAN
1	2	2	1 x 10/100/1000 Mbit
Bluetooth (optional)	WiFi (optional)	3G HSUPA (optional)	COM Ports (optional)
v2.0	802.11n	Australia Band	4

iSPOS S10 WP

COM Port (optional)	USB Ports	Built-in Speakers	Gigabit LAN
1	3	2	1 x 10/100/1000 Mbit
Bluetooth (optional)	WiFi (optional)	3G HSUPA (optional)	COM Ports (optional)
v2.0	802.11n	Australia Band	4

10.4 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST GST
iSPOS S10	ISPOSS10FRTB	10.4" LED, 1024 x 768 Resolution Flat Resistive Touch technology (FRT)	\$1,490
131-03-310	ISPOSS10PCTB	/ Projected Capacitive Touch technology (PCT) INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM, 32GB SSD	\$1,570
iSPOS S10	ISPOSWPS10FRTB	10.4" LED, 1024 x 768 Resolution Flat Resistive Touch technology (FRT) / Projected Capacitive Touch technology (PC	\$1,890
WP	ISPOSWPS10PCTB	INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM, 32GB SSD, built-in TP-150 Thermal Printer	\$1,970



Options

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
Upgrade to 64GB SSD	S-SDFFHD00600	Upgrade to 64GB SSD for larger capacity	\$80
Wi-Fi	Z-IFCR-F00C0A0	Integrated 802.11n Wireless LAN with hidden Antenna	\$100
Bluetooth	ISPOSS10BT	Internal Bluetooth connectivity v2.0	\$30
3G HSUPA	ISPOSS103G	Integrated 3G HSUPA, Australia Band	\$320
MSR	ISPOSS10MSR	Integrated Magnetic Stripe Reader 3 Track	\$160
RFID	ISPOSS10RFID	Integrated RFID Reader MiFare \$50 13.52MHz/125KHz	\$240
Additional 4x COM ports	MK-BKIFA4C00	Add extra 4x COM RS232 ports Card Kit	\$150

Operating Systems

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
Windows XP Pro	WINXPPRO	Windows XP Professional OEM (pre-installed with Senor drivers) 32bit	\$220
Windows POSReady2009	POSREADY2009	Windows POSReady2009 OEM (pre-installed with Senor drivers) 32bit	\$160
Windows 7 Pro	WIN7PRO32OEM WIN7PRO64OEM	Windows 7 Professional OEM (pre-installed with Senor drivers) 32bit / 64bit	\$210
Windows POSReady 7	POSREADY732 POSREADY764	Windows POSReady 7 OEM (pre-installed with Senor drivers) 32bit / 64bit	\$170
Linux	LINUX	Red Hat 9.0 / Ubuntu (pre-installed with Senor drivers)	-



ALL-IN-ONE ISPOS TOUCH SCREEN SYSTEM

specially designed to meet the demands of harsh environments





- 15" TFT LCD or 17" TFT LCD (Manual tilt mechanism)
- Resolution 1024 x 768 (15")
- Resolution 1280 x 1024 (17")
- 250cd/m2 brightness (iSPOS 500/750)
- 300cd/m2 brightness (iSPOS 770)
- 450cd/m2 brightness (iSPOS X75/X77)
- Senor 5 Wire Resistive Touch Screen
- Intel Dual Core Atom & gen2 Core i7 processor, ULV CPU consumes less power generates less heat & help to keep our environment GREEN
- DDR2 or DDR3 System Memory expandable
- 2.5" removable HDD, easy for service, covered by Mylar sheet to disburse statics
- Fanless and Ventless System
- Aluminium Die-Casted Casing
- 270° Swivel Base
- Internal Power Supply
- IP66 Water & Dust Resistant Certified

CONNECTIVITY

	COM Ports	USB Ports	PS/2 KB Port	Compact Flash Socke
•	4x COM / 3x COM + 1x C.D RJ12 / 2x COM + 2x C.D RJ12 / 1x COM + 2x USB	3	1	1

Gigabit LAN	Parallel Port OR 2nd VGA Output	Earphone Jack for Line-out & Mic-in	
1 x 10/100/1000 Mbit	1	1	,

Dimension: 389 (W) x 232 (D) x 363 (H) mm (15" ISPOS)

Weight: 8.5kg

446 (W) x 118 (D) x 388 (H) mm (17" ISPOS)

Weight: 9.6kg

Ergonomic, Slimline design, Fanless and Ventless







8.4" LCD Customer Display (optional)





270 degrees swivel plate

15 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
2000 500	ISPOS500P(Parallel)	15" TFT LCD, Senor 5 wire resistive touch screen	41 500
ispos 500	ISPOS500V(VGA)	INTEL Atom 1.6GHz, 2GB DDR2 RAM, 2.5" 320GB HDD Manual Base with Swivel Plate	\$1,500
:CBOC 750	ISPOS750P(Parallel)	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM,	\$1.070
iSPOS 750	ISPOS750V(VGA)	2.5" 320GB HDD Manual Base with Swivel Plate	\$1,970
	ISPOSX75P(Parallel)	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i7 1.5GHz turbo booster up to 2.4GHz,	
iSPOS X75	ISPOSX75V(VGA)	4GB DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD Manual Base with Swivel Plate	\$2,450
Upgrade to 15" PCT	Z-I5FR-C09C\$00	Upgrade to Bezel-less Projected Capacitive Touch	\$200
8.4" LCD integration	Z-M8FR-D00CSD3	Integrated 8.4" LCD customer display	\$350



MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST GST
iSPOS 770	ISPOS770P(Parallel)	17" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM,	\$2.290
	ISPOS770V(VGA)	2.5" 320GB HDD Manual Base with Swivel Plate	4=/=:0
:cnoc v77	ISPOSX77P(Parallel)	17" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i7 1.5GHz turbo booster up to 2.4GHz, 4GB	¢0.770
iSPOS X77	ISPOSX77V(VGA)	DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD Manual Base with Swivel Plate	\$2,770
8.4" LCD integration	Z-M8FR-D00CSD3	Integrated 8.4" LCD customer display	\$350





			1
COM Ports	USB Ports	PS/2 KB Port	Compact Flash Socket
4x COM / 3x COM + 1x C.D RJ12 / 2x COM + 2x C.D RJ12 / 1x COM + 2x USB	3	1	1
	Parallel Port	Earphone	

	Gigabit LAN	Parallel Port OR 2nd VGA Output	Earphone Jack for Line- out & Mic-in	
`	1 x 10/100/1000 Mbit	1	1	1

Dimension: 389 (W) x 96 (D) x 334 (H) mm (15" Panel PC)

Weight: 8.5kg

446 (W) x 96 (D) x 334 (H) mm (17" Panel PC)

Weight: 9.6kg

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
iSPOS 500	ISPOS500PNB(Parallel)	15" TFT LCD, Senor 5 wire resistive touch screen	61 500
Panel PC	ISPOS500VNB(VGA)	INTEL Atom 1.6GHz, 2GB DDR2 RAM, 2.5" 320GB HDD Power Supply Cover w/ Cable Management	\$1,500
iSPOS 750 Panel PC	ISPOS750PNB(Parallel)	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM,	44.070
	ISPOS750VNB(VGA)	2.5" 320GB HDD Power Supply Cover w/ Cable Management	\$1,970
Panel PC	ISPOSX75PNB(Parallel)	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i7 1.5GHz turbo booster up to 2.4GHz, 4GB	60.450
	ISPOSX75VNB(VGA)	DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD Power Supply Cover w/ Cable Management	\$2,450
Upgrade to 15" PCT	Z-I5FR-C09CS00	Upgrade to Bezel-less Projected Capacitive Touch	\$200
8.4" LCD integration	Z-M8FR-D00CSD3	Integrated 8.4" LCD customer display	\$350



MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
iSPOS 770 Panel PC	ISPOS770PNB(Parallel)	17" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM,	50.000
	ISPOS770VNB(VGA)	2.5" 320GB HDD Power Supply Cover w/ Cable Management	\$2,290
ispos x77	ISPOSX77PNB(Parallel)	17" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i7 1.5GHz turbo booster up to 2.4GHz, 4GB	
Panel PC	ISPOSX77VNB(VGA)	DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD Power Supply Cover w/ Cable Management	\$2,770
8.4" LCD integration	Z-M8FR-D00CSD3	Integrated 8.4" LCD customer display	\$350





MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST
iSPOS 500 WP	ISPOS500PWPP (Parallel Printer) ISPOS500PWSP (Serial Printer)	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Atom 1.6GHz, 2GB DDR2 RAM, 2.5" 320GB HDD Integrated TP-250II Thermal Receipt Printer Serial+USB/Paralell+USB/USB interface	\$2,000
iSPOS 750 WP	ISPOS750PWPP (Parallel Printer) ISPOS750PWSP (Serial Printer)	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM, 2.5" 320GB HDD, Integrated TP-250II Thermal Receipt Printer, Serial+USB/Paralell+USB/USB interface	\$2,450
iSPOS X75	ISPOSX75PWPP (Parallel Printer)	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i7 1.5GHz turbo booster up to 2.4GHz, 4GB DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD	\$2,950
WP	ISPOSX75PWSP (Serial Printer)	Integrated TP-250II Thermal Receipt Printer Serial+USB/Paralell+USB/USB interface	\$2,750
Upgrade to 15" PCT	Z-I5FR-C09CS00	Upgrade to Bezel-less Projected Capacitive Touch	\$200
8.4" LCD integration	Z-M8FR-D00CSD3	Integrated 8.4" LCD customer display	\$350

15 inch

Printer Cover (optional)





MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST
iSPOS 770 WP	ISPOS770PWPP (Parallel Printer)	17" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM,	\$2,750
151 O3 770 WI	ISPOS770PWSP (Serial Printer)	2.5" 320GB HDD, Integrated TP-250II Thermal Receipt Printer, Serial+USB/Paralell+USB/USB interface	\$2,730
iSPOS X77 WP	ISPOSX77PWPP (Parallel Printer)	17" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i7 1.5GHz turbo booster up to 2.4GHz, 4GB DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD	\$3,250
13PO3 X// WP	ISPOSX77PWSP (Serial Printer)	Integrated TP-250II Thermal Receipt Printer Serial+USB/Paralell+USB/USB interface	\$3,230
8.4" LCD integration	Z-M8FR-D00CSD3	Integrated 8.4" LCD customer display	\$350



Dual isPOS





COM Ports	USB Ports	PS/2 KB Port	Compact Flash Socket
4x COM / 3x COM + 1x C.D RJ12 / 2x COM + 2x C.D RJ12 / 1x COM + 2x USB	3	1	1

	Gigabit LAN	Parallel Port	2nd VGA Output	Earphone Jack for Line-out & Mic-in	
` \	1 x 10/100/1000 Mbit	N/A	occupied by 2 nd Display	1	./

Dimension: 389 (W) x 360 (D) x 430 (H) mm (Dual iSPOS w/ 15")

Weight: 15kg

389 (W) x 460 (D) x 430 (H) mm (Dual iSPOS w/ 8.4")

Weight: 12kg



8.4" 2nd LCD Display

15 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION		GST RRP EX
Dual iSPOS	DUALISPOS500V	15" TFT LCD, Senor 5 wire resistive touch screen DUALISPOS500V INTEL Atom 1.6GHz, 2GB DDR2 RAM, 2.5" 320GB	w/ 8.4"	\$1,900
500	(VGA)	HDD Integrated 2 nd LCD Display – choice 8.4" / 15"	w/ 15"	\$2,150
Dual		15" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM,	w/ 8.4"	\$2,400
iSPOS 750	(VGA)	2.5" 320GB HDD Integrated 2 nd LCD Display – choice 8.4" / 15"	w/ 15"	\$2,600
Dual	DUALICROCYZEV	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i7 1.5GHz turbo booster up to	w/ 8.4"	\$2,850
iSPOS X75	DUALISPOSX75V (VGA)	2.4GHz, 4GB DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD Integrated 2 nd LCD Display – choice 8.4" / 15"	w/ 15"	\$3,050
Upgrade to 15" PCT	Z-I5FR-C09CS00	Upgrade to Bezel-less Projected Capacitive Touch		\$200



OPTIONS & UPGRADES - iSPOS Series

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	
8.4" Customer LCD Display	Z-M8FR-D00CSD3	Integrated 8.4" LCD Customer Display	\$400
	GA-50MU & KIT-002BN (15"/17" iSPOS)	Integrated 16 lines Barcode Reader Kit for iSPOS Panel PC	\$400
Barcode Reader Kit	GA-50MU & KIT-003BN (15" ISPOS WP) KIT-005BN (17" ISPOS WP)	Integrated 16 lines Barcode Reader Kit for iSPOS WP	\$400
iSPOS WP Pedestal	GST-MKS01BN	iSPOS WP Pedestal with Mounting Plate	\$880
Wi-Fi	MK-390MA01	Integrated 802.11 b/g/n Wireless LAN with Antenna	\$90
3 Track Card Reader	Z-15CR-A10C0A0	Integrated 3 Track Magnetic Card Reader	\$160
Smart Card Reader	Z-I5CR-005C0A0	Integrated IC Smart Card Reader	\$160
VFD Customer Display	Z-I5VD-A0SC000	Integrated 2 Lines VFD Customer Display Module	\$180
Finger Print	Z-15CR-A00C2A0	Integrated Finger Print Reader (Digital Persona) with 2 Track MCR	\$375
Reader	Z-15CR-000C2A0	Integrated Finger Print Reader (Digital Persona)	\$300
	Z-15CR-002C0A0	Integrated RFID Reader (MiFare), SDK required	\$225
RFID Reader	GIS-06NBC3S	Integrated RFID Reader (MiFare) with 2 Track MCR, SDK required	\$300
3G GPRS	KIT-004	Integrated 3G GPRS Module available	\$300

TOUCH SCREEN & SSD OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
Upgrade to 15" PCT	Z-I5FR-C09CS00	15" Senor Projected Capacitive Touch Screen Panel Kit	\$200
Upgrade to 17"Capacitive	17" Capacitive Touch Kit	17" ELO Capacitive Touch Screen Panel Kit	\$375
Upgrade to 60GB SSD	SSDSC2CW060A310A	2.5" Intel SSD 60GB 520 Series, SATA III 6Gb/s, 25nm, MLC, read/write speed 550/500MB/s 80K IOPS	\$70

OPERATING SYSTEM OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
Windows XP Pro	WINXPPRO	Windows XP Professional OEM (pre-installed with Senor drivers) 32bit	\$220
Windows POSReady2009	POSREADY2009	Windows POSReady2009 OEM (pre-installed with Senor drivers) 32bit	\$160
Windows 7 Pro	WIN7PRO32OEM WIN7PRO64OEM	Windows 7 Professional OEM (pre-installed with Senor drivers) 32bit / 64bit	\$210
Windows POSReady 7	POSREADY732 POSREADY764	Windows POSReady 7 OEM (pre-installed with Senor drivers) 32bit / 64bit	\$170
Linux	LINUX	Red Hat 9.0 / Ubuntu (pre-installed with Senor drivers)	-



ALL-IN-ONE ROBOT POS TOUCH SCREEN SYSTEM



- 15" TFT LCD (Automatic tilt mechanism)
- Resolution 1024 x 768
- 250cd/m2 brightness (POS 14)
- 450cd/m2 brightness (POS 15)
- Senor 5 Wire Resistive Touch Screen
- Intel Dual Core Atom & Core i5 processor, ULV CPU consumes less power generates less heat & help to keep our environment GREEN
- DDR3 System Memory expandable
- 2.5" removable HDD, fitted with aluminium rails easy for service, covered by Mylar sheet to disburse statics
- Heat Pipe Solution for CPU Cooler
- Internal Power Supply
- IP43 Water & Dust Resistant Certified

Build to perform & Built to last

CONNECTIVITY

COM Ports	USB	PS/2 KB	Compact Flash Socke
5x COM / 3x COM + 2x C.D RJ12	6	1	1
Gigabit LAN	Parallel Port	2nd VGA Output	Earphone Jack for Line-out & Mic-in
1 x 10/100/1000 Mbit	1	1	1

Dimension: 366 (W) x 275 (D) x 246 (H) mm Weight: 7kg



MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
Robot Pos 14	ROBOTPOS14	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core Atom 1.8GHz, 4GB DDR3 RAM, 2.5" 320GB HDD	\$1,700
Robot Pos 15	ROBOTPOS15	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i5 2.4GHz turbo booster up to 2.9GHz, 4GB DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD	\$2,350



ALL-IN-ONE SHOP POS TOUCH SCREEN SYSTEM

12"/15" 2nd

LCD Display

specially designed for retail and hospitality industries



2x Front **USB Ports**

Patented Automatic Tilt Mechanism



Internal VFD **Customer Display** (optional)

2.5" SATA HDD

Removable

15" TFT LCD Display

4-in-one Card **Reader Module** (optional)

FEATURES

Touch Screen

- 15" TFT LCD (Automatic tilt mechanism)
- Resolution 1024 x 768
- 250cd/m2 brightness (POS 14)
- 450cd/m2 brightness (POS 15)
- Senor 5 Wire Resistive Touch Screen
- Intel Dual Core Atom & Core i5 processor, ULV CPU consumes less power generates less heat & help to keep our environment GREEN
- **DDR3 System Memory expandable**
- 2.5" removable HDD, fitted with aluminium rails easy for service, covered by Mylar sheet to disburse statics
- **Heat Pipe Solution for CPU Cooler**
- **Internal Power Supply**
- IP43 Water & Dust Resistant Certified

CONNECTIVITY

COM Ports	USB	PS/2 KB	Compact Flash Socke
5x COM / 3x COM + 2x C.D RJ12	6	1	1

Gigabit LAN	Parallel Port	2nd VGA Output	Earphone Jack for Line-out & Mic-in
1 x 10/100/1000 Mbit	1	1	1

Dimension: 366 (W) x 246 (D) x 275 (H) mm Weight: 7kg

Smallest Footprint POS System



MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
Shop Pos 14	SHOPPOS14	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Dual Core Atom 1.8GHz, 4GB DDR3 RAM, 2.5" 320GB HDD	\$1,700
Shop Pos 15	SHOPPOS15	15" TFT LCD, Senor 5 wire resistive touch screen INTEL Core i5 2.4GHz turbo booster up to 2.9GHz, 4GB DDR3 RAM (Max. 8GB RAM), 2.5" 320GB HDD	\$2,350
Dual Pos 14	DUALPOS14	Shop Pos 14 with integrated 2 nd LCD Display – choice 12"/15"	\$2,300
Dual Pos 15	DUALPOS15	Shop Pos 15 with integrated 2 nd LCD Display – Choice 12"/15"	\$2,900



ALL-IN-ONE SCAN POS TOUCH SCREEN SYSTEM

specially designed to meet the demands of harsh environments

















- 15" TFT LCD (Automatic tilt mechanism)
- Resolution 1024 x 768
- 250cd/m2 brightness (POS 14)
- 450cd/m2 brightness (POS 15)
- Senor 5 Wire Resistive Touch Screen
- Intel Dual Core Atom & Core i5 processor, ULV CPU consumes less power generates less heat & help to keep our environment GREEN
- DDR3 System Memory expandable
- 2.5" removable HDD, fitted with aluminium rails easy for service, covered by Mylar sheet to disburse statics
- Heat Pipe Solution for CPU Cooler
- **Internal Power Supply**
- IP43 Water & Dust Resistant Certified

Integrated Barcode Scanning POS System



			**
COM Ports	USB	PS/2 KB	Compact Flash Socket
5x COM / 3x COM + 2x C.D RJ12	6	1	1
Gigabit LAN	Parallel Port	2nd VGA Output	Earphone Jack for Line-out & Mic-in
1 x 10/100/1000 Mbit	1	1	1

Dimension: 366 (W) x 246 (D) x 275 (H) mm Weight: 7kg



MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX
Price Checker	SCANPOS-PC	15" Shop POS Series with in-built 16-Lines Laser Scanner	From \$2,150
Grocery Pos	SCANPOS-GP	15" Shop POS Series with in-built 32-Lines Laser Scanner	From \$2,600
Dual Grocery Pos	SCANPOS-DGP	15" Shop POS Series with in-built 32-Lines Laser Scanner and 12" 2nd LCD with Safety Glass	From \$3,200
Grocery Pos WP	SCANPOS-GPWP	15" Shop POS Series with in-built 32-Lines Laser Scanner and TP-250 Thermal Printer	From \$3,100
Dual Grocery Pos WP	SCANPOS- DGPWP	15" Shop POS Series with in-built 32-Lines Laser Scanner, TP-250 Thermal Printer and 12" 2nd LCD with Safety Glass	From \$3,650
Magellan Pos	SCANPOS-MP	15" Shop POS Series with PSC 8400 Scanner Scale	From \$4,900



OPTIONS & UPGRADES - POS Series

ACCESSORIES

MODEL	ITEM C	ODE	PRODUCT SPECIFICATION	GST RRP EX
3 Track Card Reader	GAP-58B3B3S		Integrated 3 Track Magnetic Card Reader	\$150
Smart Card Reader	GAP-05B1C3S		Integrated IC Smart Card Reader	\$150
VFD Customer Display	GR856008AST (Robot Pos)	GR856008S (Shop Pos)	Integrated 2 Lines VFD Customer Display Module	\$180
Finger Print	Z-PSCR-A00B2A	A0	Integrated Finger Print Reader (Digital Persona) with 2 Track MCR	\$375
Reader	Z-PSCR-000B2A0		Integrated Finger Print Reader (Digital Persona)	\$300
RFID Reader	GAP-58B1D3S		Integrated RFID Reader (MiFare), SDK	\$225

TOUCH SCREEN & SSD OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
Upgrade to Capacitive	GTPLMA15	3M Capacitive Touch Screen Panel	\$375
Upgrade to 60GB SSD	SSDSC2CW060A310	2.5" Intel SSD 60GB 520 Series, SATA III 6Gb/s, 25nm, MLC, read/write speed 550/500MB/s 80K IOPS	\$80

OPERATING SYSTEM OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
Windows XP Pro	WINXPPRO	Windows XP Professional OEM (pre-installed with Senor drivers) 32 bit	\$220
Windows POSReady2009	POSREADY2009	Windows POSReady2009 OEM (pre-installed with Senor drivers) 32 bit	\$160
Windows 7 Pro	WIN7PRO32OEM WIN7PRO64OEM	Windows 7 Professional OEM (pre-installed with Senor drivers) 32 bit / 64 bit	\$210
Windows POSReady 7	POSREADY732 POSREADY764	Windows POSReady 7 OEM (pre-installed with Senor drivers) 32bit / 64bit	\$170
Linux	LINUX	Red Hat 9.0 / Ubuntu (pre-installed with Senor drivers)	-



ALL-IN-ONE KITCHEN DISPLAY SYSTEM TOUCH SCREEN SYSTEM

specially designed to meet the demands of harsh environments



Aluminium
Die-Casted Casing

Internal Wi-Fi 802.11 b/g (optional)



Senor 5 Wire Resistive Touch Screen / Safety Glass

15" TFT LCD or 17" TFT LCD

FEATURES

- Resolution 1024 x 768 (15")
- Resolution 1280 x 1024 (17")
- 250cd/m2 brightness (15")
- 450cd/m2 brightness (17")
- Senor 5 Wire Resistive Touch Screen OR Non-Touch
- AMD Geode processor, ULV CPU consumes less power generates less heat & help to keep our environment GREEN
- DDR System Memory expandable
- 2.5" removable HDD, fitted with aluminium rails easy for service, covered by Mylar sheet to disburse statics

Water & Dust Proof Kitchen Screen

- Fanless and Ventless System
- Aluminium Die-Casted Casing
- Internal Power Supply
- IP66 Water & Dust Resistant Certified

CONNECTIVITY

RJ50 COM Ports	USB	PS/2 KB	Compact Flash Socke
N/A	3	1	1

	Gigabit LAN	Parallel Port	VGA port	Earphone Jack for Line-out
ί.	1 x 10/100/1000 MB	1	N/A	1

Dimension: 389 (W) x 96 (D) x 334 (H) mm (15")

Weight: 8.5kg

446 (W) x 118 (D) x 388 (H) mm (17")

Weight: 9kg

15 inch

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST
KDS 500 Touch/Glass	KD\$500T/KD\$500G	15" TFT LCD, Senor 5 wire resistive touch / Safety Glass Intel Atom 1.6GHz, 2GB DDR2 RAM, 2.5" 160GB SATA HDD	\$1,500
KDS 750 Touch/Glass	KD\$750T/KD\$750G	15" TFT LCD, Senor 5 wire resistive touch / Safety Glass INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM, 2.5" 320GB HDD	\$1,970



MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
KDS 770 Touch/Glass (Special order)	KD\$770T/KD\$770G	17" TFT LCD, Senor 5 wire resistive touch / Safety Glass INTEL Dual Core D525 1.8GHz, 4GB DDR3 RAM, 2.5" 320GB HDD	\$2,290



OPTIONS & UPGRADES - KDS Series

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
Wi-Fi	MK-390MA01	Integrated 802.11 b/g Wireless LAN with Antenna	\$90
	GA-50MU & KIT-002BN (15"/17" iSPOS)	Integrated 16 lines Barcode Reader Kit for iSPOS Panel PC	\$375
Barcode Reader Kit	GA-50MU & KIT-003BN (15" iSPOS WP) Kit-005BN (17" iSPOS WP)	Integrated 16 lines Barcode Reader Kit for iSPOS WP	\$375

TOUCH SCREEN & SSD OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
Upgrade to 15" PCT	Z-I5FR-C09CS00	15" Touch PCT Touch Screen Panel Kit	\$200
Upgrade to 17" Capacitive	17" Capacitive Touch Kit	17" ELO Capacitive Touch Screen Panel Kit	\$375

OPERATING SYSTEM OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST GST
Windows XP Pro	WINXPPRO	Windows XP Professional OEM (pre-installed with Senor drivers) 32 bit	\$220
Windows POSReady2009	POSREADY2009	Windows POSReady2009 OEM (pre-installed with Senor drivers) 32bit	\$160
Linux	LINUX	Red Hat 9.0 / Ubuntu (pre-installed with Senor drivers)	-



Ruggedized iSPAD PORTABLE TABLET PC



- 10.4" active matrix TFT LED Display
- Resolution 1024 x 768
- 340cd/m² Brightness, LED Backlight
- Fully Rugged for Mobile POS/Warehousing **Computer Application**
- High Mobility, Multi Connectivity (Bluetooth/WLAN/3.75G)
- Multi-Identification Devices (Barcode/RFID)
- Hot swappable Battery, providing Battery Life up to 8hrs
- **Ultra Low Power Consumption**
- 122cm drop resistance
- IP54 Certification (Water and Dust Resistance)
- 23-key Numeric and Functional keypad

Mbit Power Jack **Expansion**

LAN

1x

10/100/1000

1x DC-in	1x 35-pin pogo	1
	connector	

USB

Serial

N/A

Heavy Duty Mobile System

Field and Warehouse Management

Dimensions: 205(W) x 25(H) x 294(D) mm

Weight: 1.1kg

Operating Temp: -25 ~ 45°C

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
iSPAD 10	ISPAD10L	10.4" wide active matrix TFT LED, Resistive Touch Screen INTEL Atom 1.6GHz, 2GB DDR2 RAM, 1.8" 32GB SSD, Windows XP Embedded, WiFi 802.11 b/g/n, Hand Strap w/ touch pen pocket, 1x External Battery	\$2,700
iSPAD 10 Sunlight Readable	ISPAD10S	10.4" wide active matrix Sunglight Readable TFT LED, Resistive Touch Screen, INTEL Atom 1.6GHz, 2GB DDR2 RAM, 1.8" 32GB SSD, Windows XP Embedded, WiFi 802.11 b/g/n, Hand Strap w/ touch pen pocket, 1x External Battery	\$3,050



OPTIONS & UPGRADES - iSPAD Series

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST
Camera 2MP	ISPAD10CAM	Integrated 2 megapixel Camera for iSPAD 10	\$120
Bluetooth	ISPAD10BT	Internal Bluetooth 2.1 for iSPAD 10	\$45
RFID Reader	ISPAD10RFID	Internal RFID ISO Reader for iSPAD 10	\$225
Barcode Reader	ISPAD10BARC	Integrated Metrologic 2D/1D Barcode Scanner Kit for iSPAD 10	\$450
HSUPA	ISPAD10HSUPA	Internal Gobi-3000 HSUPA(3.75G)/GSM/CDMA/GPRS w/antennas	\$300
VESA Mount	ISPAD10VHCRD	VESA Mount Bracket for iSPAD 10	\$450
Desktop Mount Cradle	ISPAD10DTC	Desktop Mount Cradle for iSPAD 10	\$300
Internal Battery	ISPAD10iBAT	Internal Battery Pack 1,880mAh for iSPAD 10	\$150
External Battery	ISPAD10eBAT	External Battery Pack 2,500mAh for iSPAD 10	\$150
Shoulder Strap	ISPADSC	Shoulder Carrier for iSPAD 10	\$60
Car Charger		Car Charger for iSPAD 10	\$120



AMON TOUCH SCREEN MONITOR

specially designed for retail and hospitality industries

Internal VFD Customer Display (optional)





Patented
Automatic Tilt
Mechanism

VESA Mount Capability

Senor 5 wire Resistive Touch Screen / Safety Glass



- 12/15" TFT LCD (Automatic tilt mechanism available on 15")
- Resolution 800 x600 (12")
- Resolution 1024 x 768 (15")
- 250cd/m2 brightness
- Senor 5 Wire Resistive Touch Screen
- IP43 Water & Dust Resistant Certified
- 270° Swivel Base
- Internal Power Supply
- VESA Mount Capability

CONNECTIVITY

(optional)

Reader Module

-				38
	Video Input (VGA)	USB Touch	Serial Touch (RS232)	,
	1	1	1	
		Audio & Mic Port	Speakers	
		1	2	أمرر

Build to perform & Build to last

Dimension: 380 (W) x 346 (D) x 205 (H) mm Weight: 6.2kg 320 (W) x 46 (D) x 256 (H) mm Weight: 2.6kg

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
12" AMON 12G	AMON12ANB	12" TFT LCD, Safety Glass, [No Base]	\$640
12" AMON 12T	AMON12TNB	12" TFT LCD, Senor 5 wire Resistive Touch Screen Serial Touch Connector only, [No Base]	\$800
15" AMON 15G	AMON15GSL	15" TFT LCD, Safety Glass, [No Base]	\$600
15" AMON 15T [No Base]	AMON15TNB	15" TFT LCD, Senor 5 wire Resistive Touch Screen USB & Serial Touch Connector [No Base]	\$720
15" AMON 15T [With Base]	AMON15SUS	15" TFT LCD, Senor 5 wire Resistive Touch Screen USB & Serial Touch Connector [With Base]	\$770



OPTIONS & UPGRADES - AMON 15"

ACCESSORIES

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST GST
3 Track Card Reader	Z-A5CR-B10B0A0	Integrated 3 Track Magnetic Card Reader	\$160
VFD Customer Display	Z-A5VD-A2SBB00	Integrated 2 Lines USB VFD Customer Display Module	\$190
Finger Print Reader	Z-A5CR-000B2A0	Integrated Finger Print Reader (Digital Persona) with 2 Track MCR	\$400

TOUCH SCREEN OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
Infrared Touch Screen	Z-A5FR-A13BS06	ELO Infrared Touch Screen Panel	\$400



ISMON TOUCH SCREEN MONITOR

specially designed for industrial industries

15"/17" TFT LCD Display







VESA Mount Capability

Senor 5 Wire Resistive
Touch Screen

Patented Manual Tilt Mechanism



- 15"/17" TFT LCD (Manual tilt mechanism)
- Resolution 1024 x 768 (15")
- Resolution 1280 x 1024 (17")
- 250cd/m2 brightness (15")
- 450cd/m2 brightness (17")
- Senor 5 Wire Resistive Touch Screen
- IP66 Water & Dust Proof Certified
- Ventless Touch Monitor
- Aluminium Die Cast Casing
- Heat Dissipating Enclosure
- 270° Swivel Base
- Internal Power Supply
- VESA Mount Capability

CONNECTIVITY

-				1
	Video Input (VGA)	USB Touch	Serial Touch (RS232)	``
	1	1	1	
		Audio & Mic Port	Speakers	
		1	2	الر

Dimension: 389 (W) x 232 (D) x 363 (H) mm (15")

Weight: 7kg

446 (W) x 246 (D) x 420 (H) mm (17")

Weight: 9.5kg

Industrial Grade Touch Screen Monitor

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
15" iSMON 15G	ISMON15G	15" TFT LCD, Safety Glass, [No Base]	\$770
15" iSMON 15T [No Base]	ISMON15TNB	15" TFT LCD, Senor 5 wire Resistive Touch Screen Serial & USB Touch Connector [No Base]	\$800
15" iSMON 15T [With Base]	ISMON15	15" TFT LCD, Senor 5 wire Resistive Touch Screen Serial & USB Touch Connector [With Base]	\$850
17" iSMON 17G	ISMON17G	17" TFT LCD, Safety Glass, [No Base]	\$1,000
17" iSMON 17T [No Base]	ISMON17TNB	17" TFT LCD, Senor 5 wire Resistive Touch Screen Serial & USB Touch Connector [No Base]	\$1,040
17" iSMON 17T [With Base]	ISMON17	17" TFT LCD, Senor 5 wire Resistive Touch Screen Serial & USB Touch Connector [With Base]	\$1,090

Mini POS PC

SEVOR TOUCH SCREEN SOLUTIONS

small, compact and counter space saving









- CPU: INTEL D525 Atom 1.8GHz
- RAM: 4GB DDR3 RAM
- HDD: 2.5" 320GB SATA HDD
- Video Memory: Shared System Memory 32MB to 224MB
- Resolution: Up to 1920 x 1200 x 32bit colour
- OS: Windows POSReady2009, Windows XP Pro and Windows 7 Pro

Smallest Fanless & Ventless POS PC



DVI Output	RS232 COM Ports	VGA Output	USB
N/A	4	2	4
Audio & Mic Port	Speakers	RJ45 LAN	Parallel Port
1	N/A	1 x 10/100/1000 Mbps	1

Dimension: 195 (W) x 57 (D) x 236 (H) mm Weight: 2.3kg

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
SPC-3820	SPC-3820	INTEL Dual Core Atom 1.8GHz, 4GB DDR3 RAM, 2.5" 320GB SATA HDD	\$700
SPC-3820 TC XPe	SPC-3820TC	INTEL Dual Core Atom 1.8GHz, 4GB DDR3 RAM, 4GB CF, Window XP embedded	\$830
Mounting Bracket	BRKMINIPC	Mounting Bracket for SPC-3820	\$70

OPERATING SYSTEM OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX
Windows XP Pro	WINXPPRO	Windows XP Professional OEM (pre-installed with Senor drivers) 32 bit	\$220
Windows POSReady2009	POSREADY2009	Windows POSReady2009 OEM (pre-installed with Senor drivers) 32 bit	\$160
Windows 7 Pro	WIN7PRO32OEM	Windows 7 Professional OEM (pre-installed with Senor drivers) 32 bit / 64 bit	\$210
Windows POSReady 7	POSREADY732 POSREADY764	Windows POSReady 7 OEM (pre-installed with Senor drivers) 32bit / 64bit	\$170

THERMAL POS PRINTERS









- **Auto Paper Cutter**
- **Auto Statues Back Message**
- 95 Alpha Numeric Character Set
- **Multi-Lingual Available**
- **Logo and Graphic Printing**
- **RJ12 Cashdraw Port**
- **Wall Mount Function Available**
- Paper Roll Size: 79.5 +/- 0.5(W) x 83(Max) mm

Applications

- Receipt
- Kitchen
- Coupon
- **Barcode**
- **Ticket**
- **Lottery System**

Supported Printing Language

- **English**
- **Traditional Chinese**
- **Simplified Chinese**
- Korean

TP-150

SENOR

- Fast Printing Speed 220mm/sec
- **8Mbits Flash Memory**
- **Auto-Cutter**
- Internal Buzzer
- High Speed USB 2.0 standard onboard (480Mbps)
- Dimensions: 144(W) x 184(D) x 120(H)

TP-250II

- Fast Printing Speed 250mm/sec
- **16Mbits Flash Memory**
- **Auto-Cutter with Tear Bar**
- High Speed USB 2.0 standard onboard (480Mbps)
- Two Colour Printing (on special Paper)
- 2D Barcode printing support: PDF417, QR-Code
- Internal Buzzer
- Dimensions: 145(W) x 195(D) x 146(H)mm

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST GST
TP-150 Serial	P-150SBB5N	Direct Thermal, Auto-Cutter, Serial + USB Interface	\$270
TP-150 SPC	V-GTP150SP00	TP-150 Printer Splash Proof Cover	\$45
TP-150 WMB	V-GTP150WM00	TP-150 Wall Mount Bracket	\$45
TP-250II USB	P-250IIUBB4N	Direct Thermal, Auto-Cutter, USB Interface only	\$370
TP-250II Serial	P-250IISBB2N	Direct Thermal, Auto-Cutter, Serial + USB Interface	\$400
TP-250II Parallel	P-250IIPBB3N	Direct Thermal, Auto-Cutter, Parallel + USB Interface	\$400
TP-250II Ethernet	P-250IIEBB1N	Direct Thermal, Auto-Cutter, Ethernet + USB Interface	\$530
TP-250II SPC	GTP-250SCV	TP-250II Printer Splash Proof Cover	\$45
Melodist Box	RMB-100G	TP-250II Printer Melodist—Audio and Visual Signals	\$45
TP-250II WMB	WM220	TP-250II Wall Mount Bracket	\$45



DOT MATRIX POS PRINTER

Specially Recommended for environments such as Kitchens







DP-220

FEATURES

- Serial Impact Method
- Auto Paper Cutter
- Built-in Power Supply
- Print alarm buzzer for noisy places
- 95 Alpha Numeric Character Set
- Multi-Lingual Available
- Logo and Graphic Printing
- Wall Mount Function Available
- Paper Roll Width 76+/-0.5, 69.5+/-0.5, 57.5+/-0.5mm
- Fast Printing Speed 5.1 LPS (Lines Per Second)
- 8Mbits Flash Memory
- Auto-Cutter with Tear Bar
- Dimensions: 160(W) x 239(D) x 157(H)mm

Applications

- Receipt
- Kitchen
- Ticket
- Multiple copies Retail

Supported Printing Language

- English
- Traditional Chinese
- Simplified Chinese
- Korean
- Japanese

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST
DP-220 Serial	P-220SBB2N	DP-220 Dot Matrix w/Auto-Cutter, Serial Interface	\$400
DP-220 Parallel	GDP-220P	DP-220 Dot Matrix w/Auto-Cutter, Parallel Interface	\$400
DP-220 USB	GDP-220U	DP-220 Dot Matrix w/Auto-Cutter, USB Interface	\$460
DP-220 Ethernet	P-220EBB1N	DP-220 Dot Matrix w/Auto-Cutter, Ethernet Interface	\$530
DP-220 SPC	RSC-275	DP-220 Printer Splash Proof Cover	\$45
DP-220 WMB	WM220	DP-220 Wall Mount Bracket	\$45

CASH DRAWERS

Heavy Duty, Reliable and Stable





C4242 Standard & USB



- Heavy Duty Cash Drawer
 - Brushed Stainless Steel Front
 - 5 Notes/8 Coins adjustable compartments
 - Removable and adjustable coin section
 - Metal Note Gripper
 - 1 Large Media Slot
 - 3 Position Key Lock
 - Emergency Key Opening
 - 12V / 24V Solenoid
 - RJ12/USB Connector
 - Nylon Rollers
 - Dimensions: 420(W) x 420(D) x 90(H) mm





KC-4141 Economic





- Heavy Duty Cash Drawer
- Brushed Stainless Steel Front
- 5 Notes/8 Coins adjustable compartments
- Removable and adjustable coin section
- Metal Note Gripper
- 2 Media Slot
- 3 Position Key Lock
- Emergency Key Opening
- 12V/24V Solenoid with RJ12 Connector
- Nylon Rollers
- Dimensions: 410(W) x 410(D) x 100(H) mm



FEATURES

- Large Heavy Duty Cash Drawer
- Brushed Stainless Steel Front
- 5 Notes/8 Coins adjustable compartments
- Removable and adjustable coin section
- Metal Note Gripper
- 2 Large Media Slot
- 3 Position Key Lock
- Emergency Key Opening
- 12V/24V Solenoid with RJ12 Connector
- Nylon Rollers
- Dimensions: 460(W) x 465(D) x 100(H)mm









- Heavy Duty Compact Cash Drawer
- Brushed Stainless Steel Front
- 4 Notes/4 Coins adjustable compartments
- Removable and adjustable coin section
- Metal Note Gripper
- 1 Media Slot
- 3 Position Key Lock
- 12V/24V Solenoid with RJ12 Connector
- Nylon Rollers
- Dimensions: 350(W) x 350(D) x 90(H)mm





KC-4617 Flip Top



- Heavy Duty Cash Drawer
- Brushed Stainless Steel Top
- 5 Notes/7 Coins (Vertical note compartments)
- Removable and adjustable coin section
- 1 Media Slot
- 3 Position Key Lock
- 12V/24V Solenoid with RJ12 Connector
- Standard with Lockable Lid
- Dimensions: 460(W) x 170(D) x 100(H)mm

MODEL		ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
C4242	24V	GCDB424293MSA	Stainless Steel Front, 5 Notes/8 Coins, RJ12,	\$130
C4242	12V	GCDB424292MSA	1 Media Slot, Metal Note Gripper	\$130
C4242 USB	12V	GCDB424293MSUA	Stainless Steel Front, 5 Notes/8 Coins, USB, 1 Media Slot, Metal Note Gripper	\$190
C2525	24V	GCDB353593MSA	Stainless Steel Front, 4 Notes/4 Coins, RJ12,	6110
C3535	12V	GCDB353592MSA	1 Media Slot, Metal Note Gripper	\$110
KC-4141	24V	KC-4141V24	Stainless Steel Front, 5 Notes/8 Coins, RJ12,	\$100
KC-4141	12V	KC-4141V12	2 Media Slot, Metal Note Gripper	\$100
KC-4646	24V	KC-4646V24	Stainless Steel Front, 5 Notes/8 Coins, RJ12,	6170
KC-4646	12V	KC-4646V12	2 Media Slot, Metal Note Gripper	\$160
KC 4/17 24V	KC-4617V24	Stainless Steel Top, 5 Notes/7 Coins, RJ12,	\$140	
KC-4617	12V	KC-4617V12	1 Media Slot	\$160

ACCESSORIES OPTIONS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
C4242 Insert Tray	GCDB-C109A	Spare Insert (Black) for C4242 & C4242U	\$45
C4242 Insert Lid	CDB-C100	Lockable Insert Lid (Black) for C4242 & C4242U	\$25
C3535 Insert Tray	GCDB-T119A	Spare Insert (Black) for C3535	\$45
KC4141 Insert Tray	KC4141INS	Spare Insert (Black) for KC4141	\$45
KC4646 Insert Tray	KC4646INS	Spare Insert (Black) for KC4646	\$45
KC4617 Spare Insert	KC4617INS	Spare Insert (Black) for KC4617	\$45
KC4617 Insert Lid	KC4617LID	Lockable Insert Lid for KC4617	
Under bench Mounting Bracket	CDB-W41T	Mounting Bracket to put cash drawer underneath the bench	\$45



HAND HELD BARCODE SCANNERS

high scanning speed and accuracy



GSN-320 Handheld Linear Image Scanner

- Handheld Linear Image Scanner
- 625 nm visible LED
- 2,500 pixels linear sensor
- Scan Rate 150 scans per second
- Designed to withstand 1.5m drops
- System Interface: Keyboard, RS232, HID USB, USB Virtual COM, wand, OPOS, JPOS



GST-351HS Handheld Laser Scanner with Stand

- Handheld High-Speed Laser Scanner
- Single Line Laser
- Auto Scan in Stand Mode
- Scan Rate 500 Scans per second
- Designed to withstand 1m Drops
- System Interface: Keyboard, R\$232, HID USB, USB Virtual COM, wand, OPOS, JPOS



GSN-391BT Handheld Bluetooth Laser Scanner with Cradle

- Wireless Handheld Laser Scanner
- Single Line Laser
- Cradle Stand
- Scan Rate 100 scans per second
- Bluetooth Serial Protocol Profile (SPP)
- Bluetooth HID mode (keyboard emulation)
- Bluetooth Smart Phone mode (iPhone, Android)
- Working Range up to 100m
- Recharge Cradle (Optional)
- Designed to withstand 1m drops System Interface: Keyboard, RS232, HID USB, USB Virtual COM, wand, OPOS, JPOS

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
GSN-320 Handheld CCD	GSN-320	Handheld Contact CCD Barcode Scanner	\$110
GST-351HS Handheld Laser	GST-351HSU	Handheld Laser Barcode Scanner with Stand	\$210
GSN-391BT Bluetooth Laser	GSN-391BTU	Handheld Wireless Laser Barcode Scanner with Stand	\$430
		GSN-381BTU Recharge Cradle	\$130



HANDS-FREE BARCODE SCANNERS

NEW

high scanning speed and accuracy



GSN-6112 Hands-Free 2D Image Laser Scanner

- Compact Hands-Free 2D Image Laser Scanner
- 650 nm visible laser diode (VLD)
- Designed to withstand 1.5m drops
- 2D Barcode Decoding Capability: PDF 417, MicroPDF 417, MaxiCode, DataMatrix, DataMatrix Inverse, QR Code, QR Inverse, MicroQR Code, Aztec Code, Aztec Inverse, Postal Code



GSN-697 Hands-Free Orbit Laser Scanner


- Orbit Dual-Laser Omni-directional Scanner
- 650 nm visible laser diode (VLD)
- 5 directions of scan field
- 20 Lines Laser
- Scan Rate 1,400 scans per second (Omni-directional)
- Designed to withstand 1m drops
- Available interface keyboard: RS232, HID USB, USB Virtual COM, OPOS, JPOS



GST-687 Hands-Free Presentation Laser Scanner

- Presentation Dual-Laser Omni-directional Scanner
- 650 nm visible laser diode (VLD)
- 8 directions of scan field
- 32 Lines Laser
- Scan Rate 2,400 scans per second (Omni-directional)
- Designed to withstand 1m drops
- Available interface keyboard: RS232, HID USB, USB Virtual COM, OPOS, JPOS





- 650 nm visible laser diode (VLD)
- 10 directions of scan field
- 40 Lines Laser
- Scan Rate 3,600 scans per second (Omni-directional)
- Available interface keyboard: RS232, HID USB, USB Virtual COM, OPOS, JPOS

	18		
MODEL	ITEM CODE	PRODUCT SPECIFICATION	GST RRP EX
GSN-6112 2D Image Laser	GSN-6112BU	Compact 2D Image QR Barcode Reader	\$500
GSN-697 Orbit Laser	GSN-697BUA	Orbit Dual Direction Laser Barcode Scanner	\$350
GST-687 Presentation Laser	GST-687BUA	Presentation Dual Laser Barcode Scanner	\$420
GSN-698 In-Counter Laser	GSN-698BUA	Advanced In-Counter Laser Barcode Scanner	\$560





VFD CUSTOMER POLE DISPLAY

free standing and adjustable customer display







WD-202 Customer Pole Display

- 2 Lines x 20 Characters Vacuum Fluorescent Pole Display
- 40 Characters
- Character Size 5.25 x 9 mm
- Display Colour Green Blue
- ESC/POS (Epson) Emulation
- Long & Short Pole (included)
- Serial / USB Interface
- External Power Supply 12V (included)
- Dimension:
 - Long 225(W) x 10(D) x 560(H) mm
 - Middle 225(W) x 10(D) x 285(H) mm
 - Short 225(W) x 10(D) x 195(H) mm

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
WD-202 Serial	WD202ST12EPB	2 Lines x 20 Columns, Serial Interface, Black Colour	\$220
WD-202 USB	WD202UT22APB	2 Lines x 20 Columns, USB Interface, Black Colour	\$220
VFD Display for Max Mount	GWD202\$	2 Lines x 20 Columns, Serial Interface, Black Colour Powered via COM port	\$190



VESA MOUNTING SOLUTIONS

ceiling, wall, desktop mounting kits



Height adjustable from 600mm to 1060mm

8730B Ceiling Mount

- Adjustable tube up to 1060mm
- Adjustable screen Tilt & Swivel
- Firmly fix on the ceiling or Bench top
- Hold LCD Monitor up to 20kg
- Monitor Mounting Holes: VESA 75x75 and 100x100mm

262BS Swing Arm

- Mount your LCD Monitor onto the wall with a 45cm Long
 Adjustable Aluminum Die-Casting Arm
- Holds LCD Monitor up to 15kg
- Monitor Mounting Holes: VESA 75x75 and 100x100mm



Extend from wall 450mm

WM117B Wall Mount Bracket



- Adjustable screen Tilt & Swivel
- Firmly fix onto the wall
- Holds LCD monitor up to 12kg
- Monitor Mounting Holes: VESA 75x75 and 100x100mm

Distance from wall 130mm



1150C Wall Mount Bracket

- Thin Wall Mounting
- Firmly fix onto wall
- Holds LCD Monitor up to 12kg
- Monitor Mounting Holes: VESA 75x75 and 100x100mm


Distance from wall 15mm

MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX GST
1150C Wall	GPU-1150C	Flat Wall Mount	\$50
WM117B Wall	PU-WM117B	Wall Mount Bracket, Tilt & Swivel	\$85
8730B Ceiling	GPU-8730B	Ceiling/Bench top Mount, Tilt & Swivel	\$155
262BS Swing Arm	GPU-262BS	Wall Mount Swing Arm, Tilt & Swivel	\$135









- Firmly fix onto bench top
- Mounting Bracket Options:

PU-66B400 – Main Screen, Adjustable Screen Tilt & Swivel 90 degrees

PU-61B200 – Main Screen, Adjustable Screen Tilt & Swivel

PU-61B200P – Main Screen, Adjustable Screen Tilt & Swivel
Vertical Printer Holder

PU-61B100 – 2nd Screen, Adjustable Screen Tilt & Swivel

PU-61B100V – VFD Customer Display, Adjustable Tilt & Swivel

PU-61B300 – Scanner, Adjustable Height & Swivel

PU-61B300PL - Horizontal Printer Holder (Left),

Adjustable Swivel

PU-61B300PR – Horizontal Printer Holder (Right), Adjustable Swivel

PU-61B499 – Keyboard Holder, Adjustable Swivel

- Holds LCD Monitor up to 12kg on each screen bracket
- Monitor Mounting Holes: VESA 75x75 and 100x100mm
- Dimensions: 510(H) x 105(W) x 105(D) mm (Mounting Pole)









MODEL	ITEM CODE	PRODUCT SPECIFICATION	RRP EX
Max Mount Pole	S-PUOPVS000A0	Max Mounting Pole	\$85
661-400 Main Screen	GPU-66B400	Main Screen Bracket, Adjustable Screen Tilt & Swivel 90 degrees	\$50
61B-200 Main Screen	GPU-61B200	Main Screen Bracket, Adjustable Screen Tilt & Swivel	\$50
61B-200P Vertical Printer	PU-61B200P	Main Screen + Vertical Printer Bracket, Adjustable Screen Tilt & Swivel	\$70
61B-100 2 nd Screen	GPU-61B100	2nd Screen Bracket, Adjustable Screen Tilt & Swivel	\$50
61B-100 VFD Customer Display	GPU-61B100V	VFD Customer Display Cap, Adjustable Tilt & Swivel	\$35
61B-300 Scanner	GPU-61B300	Scanner Mount Bracket, Adjustable Height & Swivel	\$35
61B-300PL (Left) Horizontal Printer	GPU-61B300PL	Horizontal Printer Holder (Left), Adjustable Swivel	\$50
61B-300PR (Right) Horizontal Printer	GPU-61B300PR	Horizontal Printer Holder (Right), Adjustable Swivel	\$50
61B-499 Keyboard	GPU-61B499	Keyboard Shelf Holder, Adjustable Swivel	\$35